

# DAGA POWER GROUP

ISO 9001: 2015 CERTIFIED ORGANIZATION



## CONVENTIONAL EARTHING

We manufacture Conventional earthing materials as per the industry practice & as per IS: 3043. Following products comprise of earthing systems

- +91 9007080808
- 32 EZRA STREET, 5TH FLOOR ROOM NO #505, KOLKATA- 700001
- JALAN INDUSTRIAL COMPLEX, NNH-6, GATE

  NO.1, 6TH RIGHT LANE, VILL: BENIARA, PS DOMJUR,
  PO: BEGRI, HOWRAH- 711411

www.dagapowergroup.in marketing@dagapowergroup.in



#### **ABOUT US**

DAGA POWER SYSTEMS & ENGINEERS PVT. LTD., is a Kolkata, West Bengal Based Leading Manufacturer of cable trays & cable tray accessories which started its journey in the year 2003. During the Last more than 15 years of our operation, we have added several other products as well to our product basket and we are currently manufacturing a vast variety of cable glands, cable lugs, cable trays, cable tray accessories, Tower Structure & earthing materials.

#### **MISSION**

Our Mission is to offer excellent products, in accordance with both national & international standards and set a benchmark for our competitors keeping our codes of conduct and integrity intact.

#### **VISION**

Our vision is to grow our multi-disciplinary team in order to cater to the growing demand of our products in India & abroad with best quality products on a wider scale using high quality manufacturing process & best quality raw materials available in our industry, so that we can become the No. 1 choice of customers through excellence and efficiency in consignment execution in all aspects.



#### **Earthing Strips**



Earthing Strips as per IS: 2062 / 2629 / 4759. All our products comply IS: 3043 (Standard Code of Earthing Practices). Our product ranges from 20 mm x 3 mm to 125 x 16 mm. We guarantee a average minimum galvanization thickness of 86 microns to our clients. However, we can also provide higher galvanization thickness such as 100 microns, 150 microns etc. depending on the requirement of clients. We source our raw materials from reputed re-rollers only. We keep sufficient stock of Industry standard sizes such as

- · 25 x 3 mm,
- · 25 x 6 mm,
- · 50 x 6 mm,
- · 75 mm x 10 mm, etc

### **Earthing Pipe**



We manufacture both Galvanized as well as cast Iron Earthing Pipes designed as per IS: 3043 (Standard Code of Earthing Practices). We use raw materials complying to IS: 1239 (part – I) sourced from reputed sources such as Nezone, Jindal, Bansal, etc. Our products come in a minimum 40 mm dia and goes upto 100 mm dia. For Earthing in soft soils, our products come in standard 3000 mm length and for rocky soils minimum 6000 mm length but can be can customized for both nature of soils as per client's requirements.



## **Earthing Rods**







Galvanized & MS Earthing Rods are used for earthing in treated & well as no treated earth pits in transmission lines, sub stations, etc. We manufacture earthing rods using raw materials sourced for reputed local manufacturers as well as from RINL. Our products comply IS: 3043, IS: 2629 & IS: 4759



## **Earthing Accessories**

Following type of accessories are available with us

- 1. Test Link Junction Box
- 2. Test Links / Earth Busbar
- 3. Earthing bar Saddles





## **Earthing Bar shaddles**




#### **Test Link Junction Box**











**DAGA POWER** 

## **DAGA POWER GROUP**

ISO 9001: 2015 CERTIFIED ORGANIZATION

Jalan Industrial Complex, NH-6, Gate No. 1, 6th Right Lane, Vill: Beniara,

P.S: Domjur, P.O: Begri, Howrah-711411

#### Registered Office:

32 Ezra Street, 5th Floor Room No #505, Kolkata- 700001