



DAGA POWER

DAGA POWER GROUP

ISO 9001: 2015 CERTIFIED ORGANIZATION



EHILUG



+91 9007080808



32 EZRA STREET, 5TH FLOOR ROOM NO #505,
KOLKATA- 700001



JALAN INDUSTRIAL COMPLEX, NNH-6, GATE
NO.1, 6TH RIGHT LANE, VILL: BENIARA, PS DOMJUR,
PO: BEGRI, HOWRAH- 711411

www.dagapowergroup.in

marketing@dagapowergroup.in



DAGA POWER

ABOUT US

DAGA POWER SYSTEMS & ENGINEERS PVT. LTD., is a Kolkata, West Bengal Based Leading Manufacturer of cable trays & cable tray accessories which started its journey in the year 2003. During the Last more than 15 years of our operation, we have added several other products as well to our product basket and we are currently manufacturing a vast variety of cable glands, cable lugs, cable trays, cable tray accessories, Tower Structure & earthing materials.

MISSION

Our Mission is to offer excellent products, in accordance with both national & international standards and set a benchmark for our competitors keeping our codes of conduct and integrity intact.

VISION

Our vision is to grow our multi-disciplinary team in order to cater to the growing demand of our products in India & abroad with best quality products on a wider scale using high quality manufacturing process & best quality raw materials available in our industry, so that we can become the No. 1 choice of customers through excellence and efficiency in consignment execution in all aspects.



DAGA POWER

OVERVIEW

Cable Terminal Ends are designed having a special structure with thermoplastic body and metal pipe at front side. They are most commonly used for assuring safe, secure, & reliable connection of wire to equipment. These ends are used by inserting insulation-free section of cables and then connecting to specific site. They are highly appreciated for preventing further wear or damage to opened end of wire from external factors.

APPLICATION

Industrial
Easy Installation, Repair And Maintenance Of Electrical Devices



DAGA POWER

EHIMPD




ITEM NO	CAT NO:	THICKNESS OF MATERIAL	bØ(mm)	F(mm)	DØ (mm)	dØ (mm)	H(mm)	L(mm)	COLOUR
1	MPD 1.25-156	0.4	4	11	2.7	1.7	10	21	RED
2	MPD 2-156	0.4	4	16	3.3	2.3	10	21	BLUE
3	MPD2-195	0.4	5	16	3.3	2.3	10	21	BLUE



DAGA POWER

EH1 TWIN LUG




ITEM NO	AWG (MM2)	CAT NO.	F	L	W	B	D	C	COLOUR
1	22 AWG 0.5 MM2	E0508	8	14	2.6	6	1.3	1	W
2	22AWG 0.5 MM2	E0510	10	16	2.6	6	1.3	1	W
3	20 AWG 0.75 MM2	E7508	8	14.3	2.8	6.3	1.5	1.2	G
4	20 AWG 0.75 MM2	E7510	10	16.3	2.8	6.3	1.5	1.2	G
5	18AWG 1.0 MM2	E1008	8	14.3	3	6.3	1.7	1.4	R/BLK
6	2X8 AWG 2X16 MM2	E1010	10	16.3	3	6.3	1.7	1.4	R/Y
7	2X8 AWG 2X16 MM2	E1012	12	18.3	3	6.3	1.7	1.4	R/Y
8	16 AWG 1.5 MM2	E1508	8	14.3	3.5	6.3	2	1.7	BLK/R
9	16 AWG 1.5 MM2	E1510	10	16.3	3.5	6.3	2	1.7	BLK/R
10	16 AWG 1.5 MM2	E1512	12	18.3	3.5	6.3	2	1.7	BLK/R
11	14 AWG 2.5 MM2	E2508	8	15.4	4	7.4	2.6	2.3	BLUE
12	14 AWG 2.5 MM2	E2510	10	7.4	4	7.4	2.6	2.3	BLUE
13	14AWG 2.5 MM2	E2512	12	18.4	4	7.4	2.6	2.3	BLUE
14	12 AWG 4.0 MM2	E4009	9	16.4	4.5	7.4	3.2	2.8	G
15	12 AWG 4.0MM2	E4012	12	19.4	4.5	7.4	3.2	2.8	G
16	10 AWG 6.0 MM2	E6010	12	20.5	6	8.5	3.9	3.5	Y
17	10 AWG 6.0 MM2	E6012	12	20.5	6	8.5	3.9	3.5	Y
18	8 AWG 10 MM2	E10-12	12	22	7.5	8.8	4.9	4.5	BR/BL
19	6 AWG 16 MM2	E16-12	12	22	8.7	10	6.2	5.8	BL/G
20	4 AWG 1.5 MM2	E25-16	16	28	11	12	7.9	7.5	BR/BL



DAGA POWER

EH1 TWIN LUG




ITEM NO	AWG (MM2)	CAT NO	F	L	W	B	D	C	COLOUR
1	2X22 AWG 2X0.5 MM ²	TE0508	8	14.5	5	6.5	1.8	1.5	W/R
2	2X20 AWG 2X0.75 MM ²	TE7508	8	14.5	5.5	6.7	2.1	1.8	B/W
3	2X18 AWG 2X1.0 MM ²	TE1008	8	15.1	5.5	7.1	2.3	2	R/Y
4	2X16 AWG 2X1.5 MM ²	TE1508	8	15.5	6.4	7.2	2.6	2.3	B/R
5	2X14 AWG 2X2.5 MM ²	TE2510	10	18.5	8	8.5	3.3	2.9	G/B
6	2X12 AWG 2X6 MM ²	TE4012	12	23.1	8.8	11.1	4.2	3.8	R/G
7	2X10 AWG 2X10 MM ²	TE6014	14	26.1	9.5	12.1	5.3	4.9	B/Y
8	2X8 AWG 2X10 MM ²	TE 10-14	14	26.6	12.6	12.6	6.9	6.5	R/B
9	2X8 AWG 2X16 MM ²	TE 16-14	14	26.6	12.6	12.6	6.9	6.5	R/B



DAGA POWER

FDD




ITEM NO.	CAT NO.	NEMATAB (MM)	THICKNESS OF MATERIAL	B(mm)	dØ (mm)	DØ(m m)	L(mm)	H(mm)
1	FDD 1.25-110(5)	0.5X2.8	0.3	3.8	1.7	3.8	19	10
2	FDD1.25-110(8)	0.8X2.8	0.3	3.8	1.7	3.8	19	10
3	FDD 1.25-187(5)	0.5X4.75	0.35	5.6	1.7	3.8	19	10
4	FDD 1.25-187(8)	0.8X4.75	0.35	5.6	1.7	3.8	19	10
5	FDD1.25-205	0.5X5.2	0.35	6.5	1.7	3.8	20	10
6	FDD1.25-250	0.8X6.35	0.4	7.4	1.7	3.8	21	10
7	FDD 2-110(5)	0.5X2.8	0.3	3.8	2.3	4.3	19	10
8	FDD 5.5-187	0.5X4.75	0.4	5.6	3.4	5.7	23	14



DAGA POWER

FDFD



FDFD

ITEM NO.	CAT NO.	NEMATAB (MM)	W(mm)	B(mm)	DØ (mm)	dØ (mm)	L(mm)
1	FDFD 1.25-110(5)	0.5X2.8	6.2	3.2	4	1.7	20
2	FDFD 1.25-187(5)	0.5X4.75	7.8	5	4	1.7	20
3	FDFD 1.25-187(8)	0.8X4.75	7.8	5	4	1.7	20
4	FDFD 1.25-250	0.8X6.3	9.3	6.6	4	1.7	22.5
5	FDFD 2-110(5)	0.5X2.8	6.2	3.2	4.5	2.3	20
6	FDFD 2-187(5)	0.5X4.75	7.8	5	4.5	2.3	22
7	FDFD 2-187(8)	0.8X4.75	7.8	5	4.5	2.3	22
8	FDFD 2-250	0.8X6.3	9.3	6.6	4.5	2.3	24
9	FDFD 5.5-187(5)	0.5X4.8	7.8	5	5.7	3.4	23.8
10	FDFD 5.5-250	0.8X6.3	9.3	6.6	5.7	3.4	25.5



DAGA POWER

FRD




ITEM NO	CAT NO	THICKNESS OF MATERIAL	bØ (mm)	F(mm)	DØ (mm)	dØ (mm)	F(mm)	L(mm)	COLOUR
1	FRD1.25-156	0.4	4	7.7	2.7	1.7	7.3	23	RED
2	FRD 2-195	0.4	5	8.7	3.3	2.3	7.3	23.8	BLUE
3	FRD 5.5-195	0.4	5	8.7	4.5	3.4	7.3	25.5	YELLOW



DAGA POWER

MDD



MDD

ITEM NO	CAT NO	NEMATAB (MM)	THICKNESS OF MATERIAL	B(mm)	dØ (mm)	DØ (mm)	L(mm)	H(mm)
1	MDD 1.25-110(5)	0.5X2.8	0.5	2.8	1.7	4.3	17.7	10
2	MDD 1.25-110(5)	0.8X2.8	0.8	2.8	1.7	4.3	17.7	10
3	MDD 1.25-187(5)	0.5X4.75	0.5	4.75	1.7	4.3	18.5	10
4	MDD 1.25-187(8)	0.8X4.75	0.8	4.75	1.7	4.3	18.5	10
5	MDD 1.25-250	0.8X6.3	0.4	6.3	1.7	4.3	21	10



DAGA POWER

DAGA POWER GROUP

ISO 9001: 2015 CERTIFIED ORGANIZATION

Jalan Industrial Complex, NH-6, Gate No. 1, 6th Right Lane,
Vill: Beniara,
P.S: Domjur, P.O: Begri, Howrah- 711411

Registered Office:

32 Ezra Street, 5th Floor Room No #505,
Kolkata- 700001