



DAGA POWER

DAGA POWER GROUP

ISO 9001: 2015 CERTIFIED ORGANIZATION



COPPER RING/ PING/ FORK TERMINAL



+91 9007080808



32 EZRA STREET, 5TH FLOOR ROOM NO #505,
KOLKATA- 700001



JALAN INDUSTRIAL COMPLEX, NNH-6, GATE
NO.1, 6TH RIGHT LANE, VILL: BENIARA, PS DOMJUR,
PO: BEGRI, HOWRAH- 711411

www.dagapowergroup.in

marketing@dagapowergroup.in

COPPER RING/ PING/ FORK TERMINAL

Entire Range of copper sheet terminals are made from ETP Grade Copper. Terminals are exclusively designed for sturdy performance even on adverse conditions. Unique type test are conducted as per IS-8337. The range of the terminals & connectors starts from 0.5 mm to 1000 mm with many variations suiting to many industries. We also undertake manufacturing of tailor made item as per customers requirement.


APPLICATION

Widely used to terminate cables to distribution boxes and transformers. They are used to terminating any size of cables, electrical switching equipments.

MATERIAL: COPPER IS-1897
FINISH: ELECTRO TINNED
INSULATION COLOUR


1 sq mm:	●
1.5 sq mm :	● or ●
2.5 sq mm :	● or ● ●
4 sq mm :	●
6 sq mm :	● or ●
10 sq mm :	●
16 sq mm :	●

COPPERRING




Item No.	AREA mm ²	E	A	C	D	F	B	K	H	L-1	J	DAGA POWER CAT NO.
1												
2												
3	1.5	3.2	1.6	3.2	6.0	0.8	5	2	4.0	11	14.0	DPRS- 7001
4	1.5	3.7	1.6	3.2	6.8	0.8	5	1	3.6	9.6	13.0	DPRS- 7048
5	1.5	3.7	1.6	3.2	6.0	0.8	5	2	4.0	11	14.0	DPRS- 7002
6	1.5	4.2	1.6	3.2	6.8	0.8	5	1	3.6	9.6	13.0	DPRS-7049
7	1.5	4.2	1.6	3.2	6.0	0.8	5	2	4.0	11	14.0	DPRS- 7003
8	1.5	4.2	1.6	3.2	7.0	0.8	5	1	5.0	11	14.5	DPRS-7154
9	1.5	4.2	1.6	3.2	8.0	0.8	5	2	5.0	12.0	16.0	DPRS-7004
10	1.5	5.2	1.6	3.2	8.0	0.8	5	2	5.0	12.0	16.0	DPRS-7005
11	1.5	5.2	1.6	3.2	10.0	0.8	5	2	6.0	13.0	18.0	DPRS-7006
12	1.5	6.4	1.6	3.2	10.0	0.8	5	2	6.0	13.0	18.0	DPRS-7007
13	1.5	6.4	1.6	3.2	12.0	0.8	5	1	6.0	12.0	18.0	DPRS-7106
14	2.5	3.2	2.3	3.9	6.5	0.8	5	1	3.5	9.5	12.7	DPRS-7107
15	2.5	3.7	2.3	3.9	6.5	0.8	5	1	3.5	9.5	12.7	DPRS-7008
16	2.5	3.7	2.3	3.9	8.0	0.8	5	2	5.0	12.0	16.0	DPRS-7108
17	2.5	4.2	2.3	3.9	8.0	0.8	5	2	5.0	12.0	16.0	DPRS-7009
18	2.5	5.2	2.3	3.9	8.0	0.8	5	2	5.0	12.0	16.0	DPRS-7010
19	2.5	5.2	2.3	3.9	10.0	0.8	5	1	7.0	13.0	18.0	DPRS-7109
20	2.5	5.2	2.3	3.9	12.0	0.8	5	2	9.0	16.0	22.0	DPRS-7110
21	2.5	6.4	2.3	3.9	10.0	0.8	5	1	7.0	13.0	18.0	DPRS-7011
22	2.5	6.4	2.3	3.9	12.0	0.8	5	2	9.0	16.0	22.0	DPRS-7012
23	2.5	8.2	2.3	3.9	12.0	0.8	5	2	9.0	16.0	22.0	DPRS-7013
24	2.5	8.2	2.3	3.9	16.0	0.8	5	2	10.0	17.0	25.0	DPRS-7014
25	2.5	10.2	2.3	3.9	18.0	0.8	5	1	14.0	20.0	29.0	DPRS-7151
26	2.5	10.2	2.3	3.9	16	0.8	5	2	10.0	17.0	25.0	DPRS-7015
27	4-6	4.2	3.5	5.5	8.0	1.0	6	2	5.0	13.0	17.0	DPRS-7155
28	4-6	5.2	3.5	5.5	8.0	1.0	6	2	5.0	13.0	17.0	DPRS-7050
29	4-6	5.2	3.5	5.5	10.0	1.0	6	3	5.0	14.0	19.0	DPRS-7016
30	4-6	6.4	3.5	5.5	12	1.0	6	2	6	14	20	DPRS-7017
31	4-6	6.4	3.5	5.5	12	1.0	6	3	7	16	22	DPRS-7019
32	4-6	6.4	3.5	5.5	14	1.0	6	2	10.5	18.5	25.5	DPRS-7115
33	4-6	8.2	3.5	5.5	12	1.0	6	2	6	14	20	DPRS-7018
34	4-6	8.2	3.5	5.5	14	1.0	6	2	10.5	18.5	25.5	DPRS-7020
35	4-6	8.2	3.5	5.5	16	1.0	6	3	13	22	30	DPRS-7116
36	4-6	10.2	3.5	5.5	18	1.0	6	3	12	21	30	DPRS-7023
37	4-6	10.2	3.5	5.5	16	1.0	6	3	13.0	22.0	30.0	DPRS-7022
38	4-6	12.7	3.5	5.5	18	1.0	6	3	12	21	30	DPRS-7024
39	10	5.2	4.3	6.3	10	1.0	8	2	7	17	22	DPRS-7025
40	10	5.2	4.3	6.3	10	1.0	8	3	4	15	20	DPRS-7026

COPPERRING




41	10	6.4	4.3	6.3	12	1.0	8	2	7	17	23	DPRS-7120
42	10	8.2	4.3	6.3	16	1.0	8	4	7	19	27	DPRS-7121
43	10	10.2	4.3	6.3	22	1.0	8	5	10	23	34	DPRS-7123
44	10	10.2	4.3	6.3	18	1.0	8	4	9.0	21.0	30.0	DPRS-7027
45	10	12.7	4.3	6.3	22	1.0	8	5	10	23	34	DPRS-7028
46	16	5.2	5.6	8.0	10	1.2	10	3	6	19	24	DPRS-7124
47	16	6.4	5.6	8.0	12	1.2	10	4	6	20	26	DPRS-7029
48	16	8.2	5.6	8.0	16	1.2	10	4	8	22	30	DPRS-7030
49	16	9.7	5.6	8.0	16	1.2	10	4	8	22	30	DPRS-7031
50	16	10.2	5.6	8.0	22	1.2	10	6	8	24	35	DPRS-7128
51	16	10.2	5.6	8.0	18	1.2	10	4	10	24	33	DPRS-7032
52	16	12.7	5.6	8.0	22	1.2	10	6	8	24	35	DPRS-7033
53	25	6.4	7.5	11.1	12	1.8	11	4	10	25	31	DPRS-7156
54	25	8.2	7.5	11.1	16	1.8	11	5	6	22	30	DPRS-7034
55	25	8.2	7.5	11.1	16	1.8	11	4	10	25	33	DPRS-7036
56	25	10.2	7.5	11.1	16	1.8	11	5	6	22	30	DPRS-7035
57	25	10.2	7.5	11.1	22	1.8	11	6	14	31	42	DPRS-7132
58	25	12.7	7.5	11.1	22	1.8	11	6	14	31	42	DPRS-7037
59	35	6.4	9.0	12.6	16	1.8	12	5	6	23	31	DPRS-7133
60	35	8.2	9.0	12.6	16	1.8	12	5	6	23	31	DPRS-7038
61	35	10.2	9.0	12.6	22	1.8	12	4	15	31	42	DPRS-7135
62	35	12.7	9.0	12.6	22	1.8	12	4	15	31	42	DPRS-7040
63	50	8.2	10.5	14.1	18	1.8	16	6	12	34	43	DPRS-7136
64	50	10.2	10.5	14.1	22	1.8	16	7	9	32	43	DPRS-7137
65	50	12.7	10.5	14.1	24	1.8	16	6	14	36	48	DPRS-7042
66	50	16.2	10.5	14.1	32	1.8	16	7	15	38	54	DPRS-7139
67	70	10.2	12.0	16.0	22	2.0	18	7	11	36	47	DPRS-7140
68	70	12.7	12.0	16.0	24	2.0	18	8	10	36	48	DPRS-7141
69	70	16.2	12.0	16.0	28	2.0	18	6	16	40	54	DPRS-7142
70	95	10.2	13.5	18.1	24	2.3	20	6	12	38	50	DPRS-7144
71	95	12.7	13.5	18.1	24	2.3	20	6	12	38	50	DPRS-7044
72	95	16.2	13.5	18.1	28	2.3	20	7	17	44	58	DPRS-7145
73	120	12.7	15.0	20.2	26	2.6	22	10	7	39	52	DPRS-7146
74	120	16.2	15.0	20.2	32	2.6	22	7	19	48	64	DPRS-7147
75	120	20.3	15.0	20.2	40	2.6	22	10	20	52	72	DPRS-7148
76	150	12.7	16.5	23.7	34	3.6	24	9	16	49	66	DPRS-7149
77	150	16.2	16.5	23.7	34	3.6	24	9	16	49	66	DPRS-7045
78	150	20.3	16.5	23.7	40	3.6	24	10	20	54	74	DPRS-7046

RINGINSULATED




Area mm ²	E	A	C	D	F	B	K	H	J	J-1	L-3	C-1	DAGAPOWER Cat No.
1.5	2.2	1.6	3.2	6	0.8	5	2	4	14	10	16	4.8	DPRS-7052
1.5	2.6	1.6	3.2	6	0.8	5	2	4	14	10	16	4.8	DPRS-7053
1.5	3.2	1.6	3.2	6	0.8	5	2	4	14	10	16	4.8	DPRS-7054
1.5	3.7	1.6	3.2	6	0.8	5	2	4	14	10	16	4.8	DPRS-7055
1.5	4.2	1.6	3.2	6	0.8	5	2	4	14	10	16	4.8	DPRS-7056
1.5	3.2	1.6	3.2	8	0.8	5	2	5	16	10	17	4.8	DPRS-7057
1.5	4.2	1.6	3.2	8	0.8	5	2	5	16	10	17	4.8	DPRS-7058
1.5	5.2	1.6	3.2	8	0.8	5	2	5	16	10	17	4.8	DPRS-7059
1.5	3.2	1.6	3.2	6.8	0.8	5	1	3.6	13	10	14.6	4.8	DPRS-7060
1.5	3.7	1.6	3.2	6.8	0.8	5	1	3.6	13	10	14.6	4.8	DPRS-7061
1.5	4.2	1.6	3.2	6.8	0.8	5	1	3.6	13	10	14.6	4.8	DPRS-7062
1.5	4.2	1.6	3.2	7	0.8	5	1	5	14.6	10	16	4.8	DPRS-7063
1.5	4.2	1.6	3.2	10	0.8	5	2	6	18	10	18	4.8	DPRS-7064
1.5	5.2	1.6	3.2	10	0.8	5	2	6	18	10	18	4.8	DPRS-7065
1.5	6.4	1.6	3.2	10	0.8	5	2	6	18	10	18	4.8	DPRS-7066
1.5	6.4	1.6	3.2	12	0.8	5	1	6	18	10	17	4.8	DPRS-7067
2.5	3.2	2.3	3.9	6.5	0.8	5	1	3.5	12.7	10	14.5	5.5	DPRS-7068
2.5	3.7	2.3	3.9	6.5	0.8	5	1	3.5	12.7	10	14.5	5.5	DPRS-7069
2.5	3.7	2.3	3.9	8	0.8	5	2	5	16	10	17	5.5	DPRS-7070
2.5	4.2	2.3	3.9	8	0.8	5	2	5	16	10	17	5.5	DPRS-7071
2.5	5.2	2.3	3.9	8	0.8	5	2	5	16	10	17	5.5	DPRS-7072
2.5	5.2	2.3	3.9	10	0.8	5	1	7	18	10	18	5.5	DPRS-7073
2.5	6.4	2.3	3.9	10	0.8	5	1	7	18	10	18	5.5	DPRS-7074

RINGINSULATED




2.5	5.2	2.3	3.9	12	0.8	5	2	9	22	10	21	5.5	DPRS-7075
2.5	6.4	2.3	3.9	12	0.8	5	2	9	22	10	21	5.5	DPRS-7076
2.5	8.2	2.3	3.9	12	0.8	5	2	9	22	10	21	5.5	DPRS-7077
2.5	6.4	2.3	3.9	16	0.8	5	2	10	25	10	22	5.5	DPRS-7078
2.5	8.2	2.3	3.9	16	0.8	5	2	10	25	10	22	5.5	DPRS-7079
2.5	10.2	2.3	3.9	16	0.8	5	2	10	25	10	22	5.5	DPRS-7080
2.5	10.2	2.3	3.9	18	0.8	5	1	14	29	10	25	5.5	DPRS-7081
2.5	12.7	2.3	3.9	18	0.8	5	1	14	29	10	25	7.1	DPRS-7082
4.6	4.2	3.5	5.5	8	1	6	2	5	17	14	21	7.1	DPRS-7083
4.6	5.2	3.5	5.5	8	1	6	2	5	17	14	21	7.1	DPRS-7084
4.6	4.2	3.5	5.5	10	1	6	3	5	19	14	21	7.1	DPRS-7085
4.6	5.2	3.5	5.5	10	1	6	3	5	19	14	21	7.1	DPRS-7086
4.6	5.2	3.5	5.5	8	1	6	3	9	22	14	26	7.1	DPRS-7087
4.6	5.2	3.5	5.5	12	1	6	2	6	20	14	22	7.1	DPRS-7088
4.6	6.4	3.5	5.5	12	1	6	2	6	20	14	22	7.1	DPRS-7089
4.6	8.2	3.5	5.5	12	1	6	2	6	20	14	22	7.1	DPRS-7090
4.6	5.2	3.5	5.5	12	1	6	3	7	22	14	24	7.1	DPRS-7091
4.6	6.4	3.5	5.5	12	1	6	3	7	22	14	24	7.1	DPRS-7092
4.6	6.4	3.5	5.5	14	1	6	2	10.5	25.5	14	26.5	7.1	DPRS-7093
4.6	8.2	3.5	5.5	14	1	6	2	10.5	25.5	14	26.5	7.1	DPRS-7094
4.6	9.7	3.5	5.5	14	1	6	2	10.5	25.5	14	26.5	7.1	DPRS-7095
4.6	8.2	3.5	5.5	16	1	6	3	13	30	14	30	7.1	DPRS-7096
4.6	10.2	3.5	5.5	16	1	6	3	13	30	14	30	7.1	DPRS-7097
4.6	8.2	3.5	5.5	18	1	6	3	12	30	14	30	7.1	DPRS-7098
4.6	10.2	3.5	5.5	18	1	6	3	12	29	14	30	7.1	DPRS-7099
4.6	12.7	3.5	5.5	18	1	6	3	12	29	14	30	7.1	DPRS-7100

FORK



Item No.	AREA mm ²	E	A	D	B	G	L-1	DAGA POWER CAT. No.	C	L-1	DAGA POWER CAT. NO
1	1.5	3.5	1.6	6.8	5	3.4	11.1	DPRS-7249	3.2	16.1	DPRSI-7926
2	2.5	3.5	2.3	6.5	5	3.2	11.8	DPRS-7251	3.9	21.8	DPRSI-7928
3	4.6	3	3.5	6	6	3.5	11.5	DPRS-7252	5.5	27.5	DPRSI-7930
4	4.6	3.5	3.5	6	6	4	11	DPRS-7253	5.5	27	DPRSI-7931
5	2.5	5	2.6	10.6	6.2	6.2	12.4	DPRS-7280	4.6	20	DPRSI-7929

COPPERPIN



Item No.	AREA mm ²	A	C	D	B	J	TYPE	DAGA POWER CAT. No.	J-1	DAGA POWER CAT. NO
1	1.5	1.6	3.2	1.9	5	17	I	DPCP-9	10	DPCPI-17
2	1.5	1.6	3.2	3.1	5	17	II	DPCP-35	10	DPCPI-40
3	2.5	2.3	3.9	1.9	5	17	I	DPCP-1	10	DPCPI-18
4	2.5	2.3	3.9	3.1	5	17	II	DPCP-2	10	DPCPI-19
5	4	2.9	4.9	2.7	6	20	I	DPCP-3	14	DPCPI-20
6	6	3.6	5.6	2.7	6	20	I	DPCP-5		
7	10	4.5	6.7	4.3	8	22	III	DPCP-7		
8	16	5.8	8.2	5.5	10	26	III	DPCP-8		
9	25	7.5	11.1	7	11	32	III	DPCP-86		
10	35	9	12.6	7.5	12	37.8	III	DPCP-87		
11	50	10.5	14.1	9	16	42	III	DPCP-88		
12	70	12	16	9	18	47	III	DPCP-89		
13	95	13.5	18.1	9	20	52	III	DPCP-90		